



Hex Key Catalogue 2020

EFFECTIVE 1ST FEBRUARY 2020

Tools
That
Work



Proudly Distributed by:

suttontools



For the past 50 years, Bondhus has established itself within the market as the premium hex key supplier for both quality and innovation. The development of Protanium™ Steel, ProGuard™ Dry Surface Technology, along with continual product development such as the patented ProHold™ product proves Bondhus' leadership in the hex key market.

Bondhus excels in the market by offering not only the best quality product, but also the widest range in both handle and tip configurations. The level of confidence in the quality of all products is reinforced with a full lifetime warranty.



ProTanium™ Steel is a proprietary blend of steel that provides at least 18% more torque. This provides a longer wearing steel that resists breaking and shattering.



ProGuard™ Dry Surface Technology provides 5X more protection against rust or corrosion.

Index Product Item

Item #	Pg	Item #	Pg	Item #	Pg	Item #	Pg	Item #	Pg	Item #	Pg	Item #	Pg	Item #	Pg
BD00008	6	BD12245	6	BD13360	11	BD15752	4	BD15850	6	BD15952	6	BD32410	7	BD40650	13
BD00009	6	BD12246	6	BD13364	11	BD15754	4	BD15852	6	BD15954	6	BD32415	7	BD40652	13
BD00040	14	BD12299	6	BD13368	11	BD15756	4	BD15854	6	BD15956	6	BD32420	7	BD40654	13
BD00051	14	BD12522	9	BD13372	11	BD15758	4	BD15856	6	BD15960	6	BD32425	7	BD40656	13
BD00055	14	BD12533	9	BD13376	11	BD15760	4	BD15858	6	BD15962	6	BD32427	7	BD40660	13
BD10637	13	BD12540	9	BD13387	11	BD15762	4	BD15860	6	BD15964	6	BD32430	7	BD40664	13
BD10686	13	BD12544	9	BD13389	11	BD15764	4	BD15862	6	BD15968	6	BD32432	7	BD40668	13
BD10699	13	BD12550	9	BD13390	11	BD15766	4	BD15864	6	BD15972	6	BD32434	7	BD40672	13
BD10733	13	BD12585	9	BD14130	8	BD15768	4	BD15866	6	BD15974	6	BD32440	7	BD40676	13
BD10752	13	BD12587	9	BD14187	8	BD15770	4	BD15868	6	BD15976	6	BD33034	12	BD43688*	15
BD10754	13	BD12589	9	BD14189	8	BD15772	4	BD15870	6	BD15980	6	BD33034	12	BD53109	10
BD10756	13	BD12591	9	BD15348	11	BD15774	4	BD15872	6	BD15984	6	BD33040	12	BD53110	10
BD10760	13	BD12592	9	BD15352	11	BD15776	4	BD15874	6	BD15986	6	BD33806	13	BD53111	10
BD10764	13	BD12595	9	BD15354	11	BD15780	4	BD15876	6	BD15988	6	BD33807	13	BD53112	10
BD10768	13	BD12632	9	BD15356	11	BD15784	4	BD15878	6	BD16037	4	BD33808	13	BD53113	10
BD10772	13	BD12634	9	BD15360	11	BD15786	4	BD15880	6	BD16099	4	BD33809	13	BD53114	10
BD10776	13	BD12636	9	BD15364	11	BD15788	4	BD15884	6	BD16456	11	BD33810	13	BD53160	10
BD10852	15	BD12638	9	BD15368	11	BD15800	6	BD15886	6	BD16460	11	BD33815	13	BD53164	10
BD10854	15	BD12894	9	BD15372	11	BD15801	6	BD15888	6	BD16464	11	BD33820	13	BD53168	10
BD10856	15	BD12897	9	BD15376	11	BD15802	6	BD15900	6	BD16468	11	BD33825	13	BD53172	10
BD10860	15	BD13138	10	BD15702	4	BD15803	6	BD15901	6	BD16472	11	BD33827	13	BD53176	10
BD10864	15	BD13146	10	BD15703	4	BD15804	6	BD15902	6	BD16538	5	BD33830	13	BD53205†	10
BD10868	15	BD13148	10	BD15704	4	BD15805	6	BD15903	6	BD16599	5	BD33832	13	BD53206†	10
BD10872	15	BD13187	10	BD15705	4	BD15806	6	BD15904	6	BD20199	8	BD33834	13	BD53207†	10
BD10876	15	BD13189	10	BD15706	4	BD15807	6	BD15905	6	BD20499	8	BD33840	13	BD53208†	10
BD10880	15	BD13190	10	BD15707	4	BD15808	6	BD15906	6	BD22199	8	BD34445	14	BD53252†	10
BD10932	4	BD13305	11	BD15708	4	BD15809	6	BD15907	6	BD23246*	15	BD34745	14	BD53254†	10
BD10937	4	BD13306	11	BD15709	4	BD15810	6	BD15908	6	BD31809	7	BD40602	13	BD53256†	10
BD10938	4	BD13307	11	BD15710	4	BD15811	6	BD15909	6	BD31810	7	BD40603	13	BD74009	12
BD10945	4	BD13308	11	BD15711	4	BD15812	6	BD15910	6	BD31815	7	BD40604	13	BD74010	12
BD10946	4	BD13309	11	BD15712	4	BD15813	6	BD15911	6	BD31820	7	BD40605	13	BD74015	12
BD10995	4	BD13310	11	BD15713	4	BD15814	6	BD15912	6	BD31825	7	BD40606	13	BD74020	12
BD10999	4	BD13311	11	BD15714	4	BD15815	6	BD15913	6	BD31827	7	BD40607	13	BD74025	12
BD11725	8	BD13312	11	BD15715	4	BD15816	6	BD15914	6	BD31830	7	BD40608	13	BD74027	12
BD11740	8	BD13313	11	BD15716	4	BD15817	6	BD15915	6	BD31834	7	BD40609	13	BD74030	12
BD12120*	6	BD13314	11	BD15717	4	BD15818	6	BD15916	6	BD31840	7	BD40610	13	BD74937	5
BD12121*	6	BD13332	11	BD15718	4	BD15819	6	BD15917	6	BD32406	7	BD40611	13	BD74938	5
BD12137	6	BD13352	11	BD15719	4	BD15847	6	BD15918	6	BD32407	7	BD40612	13	BD74992	5
BD12199	6	BD13354	11	BD15749	4	BD15848	6	BD15919	6	BD32408	7	BD40613	13	BD74999	5
BD12237	6	BD13356	11	BD15750	4	BD15849	6	BD15950	6	BD32409	7	BD40614	13	BD75703	5

Contents




L-Wrenches Ball End	4
L-Wrenches ProHold® Tip Ball End	5
L-Wrenches Stubby Ball End	5
L-Wrenches Hex End	6
L-Wrenches TORX®	7
L-Wrenches TORX® Tamper Resistant	7
L-Wrenches TORX® & BallStar Tip	8
Multi Packs L-Wrenches & GorillaGrip® Fold Up	8



GorillaGrip® Fold Up Sets	9
GorillaGrip® Fold Up Utility & Multi Packs	9



T-Handles Ball End	10
T-Handles Hex End	11
T-Handles TORX®	12
T-Handles ProHold® TORX®	12




Screwdrivers Ball End	13
Screwdrivers TORX® Tamper Resistant	13



Wing & Flag Tool TORX®	14
---	----



Hex Pro TORX® & Hex Tip	14
--------------------------------------	----



Socket Bits Hex End	15
----------------------------------	----



Power Bits Ball End	15
----------------------------------	----

L-Wrenches Ball End




Ball End inserts into a screw at a 25° angle
 Ball End saves time by quickly funnelling tool into screw
 25° angle allows natural hand and wrist movement
 Superior Ball End strength and working angle
 Works in hard to reach places



10999


10938



Ball End Tips
 25° working angle
 for quick funnelling
 into screw



Up to 20% stronger, with
 more torque and higher wear
 resistance than standard steel



Environmentally
 safe finish for
 better corrosion
 resistance and grip

Chamfered Hex Tip
 For faster insertion and
 full tool engagement in
 the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Tagged)						
1.27	72	13	10	1	BD15749	037231157494
1.5	77	14	10	1	BD15750	037231157500
2.0	82	16	10	1	BD15752	037231157524
2.5	88	17	10	1	BD15754	037231157548
3.0	98	19	10	1	BD15756	037231157562
3.5	100	21	1	1	BD15758	037231157586
4.0	110	22	10	1	BD15760	037231157609
4.5	114	25	1	1	BD15762	037231157623
5.0	119	27	5	1	BD15764	037231157647
5.5	124	29	1	1	BD15766	037231157661
6.0	139	31	5	1	BD15768	037231157685
7.0	140	33	1	1	BD15770	037231157708
8.0	152	35	5	1	BD15772	037231157722
9.0	159	37	1	1	BD15774	037231157746
10.0	171	39	5	1	BD15776	037231157760
12.0	220	44	1	1	BD15780	037231157807
14.0	260	55	1	1	BD15784	037231157845
17.0	280	61	1	1	BD15786	037231157869
19.0	295	69	1	1	BD15788	037231157883

Metric Sets						
6Pce Set: 1.5, 2, 2.5, 3, 4, 5mm				1	BD10946	037231109462
9Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD10999	037231109998
15Pce Set: 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm				1	BD10995	037231109950
9Pce Set (Extra Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD16099	037231160999

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Tagged)						
.050"	72	13	10	1	BD15702	037231157029
1/16"	76	14	10	1	BD15703	037231157036
5/64"	81	15	10	1	BD15704	037231157043
3/32"	86	16	10	1	BD15705	037231157050
7/64"	90	18	10	1	BD15706	037231157067
1/8"	95	19	10	1	BD15707	037231157074
9/64"	101	20	10	1	BD15708	037231157081
5/32"	107	21	10	1	BD15709	037231157098
3/16"	114	24	10	1	BD15710	037231157104
7/32"	124	26	5	1	BD15711	037231157111
1/4"	141	29	5	1	BD15712	037231157128
5/16"	152	32	5	1	BD15713	037231157135
3/8"	171	35	5	1	BD15714	037231157142
7/16"	191	38	1	1	BD15715	037231157159
1/2"	210	41	1	1	BD15716	037231157166
9/16"	229	44	1	1	BD15717	037231157173
5/8"	248	48	1	1	BD15718	037231157180
3/4"	286	54	1	1	BD15719	037231157197

Imperial Sets						
8Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"				1	BD10932	037231109325
7Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"				1	BD10945	037231109455
10Pce Set: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"				1	BD10938	037231109387
13Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD10937	037231109370
13Pce Set (Extra Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD16037	037231160371

L-Wrenches ProHold® Tip Ball End



Non-magnetic button holds screw tight on the tool every time
Super smooth rotational action, with no interference from the Prohold® button
Tool strength is not compromised by the Prohold® button




74992

74937



ProHold® Tips
Holds screw tight on the tool every time



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Chamfered Hex Tip
For faster insertion and full tool engagement in the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Tagged)						
1.27	72	13	5	1	BD75749	037231757496
1.5	77	14	5	1	BD75750	037231757502
2.0	82	16	5	1	BD75752	037231757526
2.5	88	17	5	1	BD75754	037231757540
3.0	98	19	5	1	BD75756	037231757564
4.0	110	22	5	1	BD75760	037231757601
5.0	119	27	2	1	BD75764	037231757649
6.0	139	31	2	1	BD75768	037231757687
8.0	152	35	2	1	BD75772	037231757724
10.0	171	39	2	1	BD75776	037231757762
Metric Sets						
7Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6mm				1	BD74992	037231749927
9Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD74999	037231749996

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Tagged)						
1/16"	76	14	5	1	BD75703	037231757038
5/64"	81	15	5	1	BD75704	037231757045
3/32"	86	16	5	1	BD75705	037231757052
1/8"	95	19	5	1	BD75707	037231757076
9/64"	101	20	5	1	BD75708	037231757083
5/32"	107	21	5	1	BD75709	037231757090
3/16"	114	24	5	1	BD75710	037231757106
7/32"	124	26	2	1	BD75711	037231757113
1/4"	141	29	2	1	BD75712	037231757120
5/16"	152	32	2	1	BD75713	037231757137
3/8"	171	35	2	1	BD75714	037231757144
Imperial Sets						
10Pce (Long): 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"				1	BD74938	037231749385
13Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD74937	037231749378

L-Wrenches Stubby Ball End



Fits into tight spaces standard hex keys cannot. Eliminates the need to trim and file the short arm. Tighter inside radius means full smooth entry into screw head. Chamfered short arm eliminates burrs. Ball End inserts into a screw at a 25° angle



16599

16538



Ball End Tips
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Stubby Arm
Fits into tight spaces where standard hex keys cannot

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
Metric Set			
9Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	BD16599	037231165994

Sizes	Min. Qty	Item #	Barcode
Imperial Set			
10Pce Set: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	BD16538	037231165383

L-Wrenches Hex End




Chamfered tool tips eliminate burrs and help tools seat in screw head
Sharp corners transfer more torque to the screw and reduce stripping
Precision machined for ease of use and superior fit



12199

12137



Hex End Tips
Precision machined
for superior fit



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

Chamfered Hex Tip
For faster insertion and
full tool engagement in
the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Long)(Tagged)						
1.5	77	14	10	1	BD15950	037231159504
2.0	82	16	10	1	BD15952	037231159528
2.5	88	17	10	1	BD15954	037231159542
3.0	98	19	10	1	BD15956	037231159566
4.0	110	22	10	1	BD15960	037231159603
4.5	114	25	1	1	BD15962	037231159627
5.0	119	27	5	1	BD15964	037231159641
6.0	139	21	5	1	BD15968	037231159689
8.0	152	35	5	1	BD15972	037231159726
9.0	159	27	1	1	BD15974	037231159740
10.0	171	39	5	1	BD15976	037231159764
12.0	220	44	1	1	BD15980	037231159801
14.0	260	55	1	1	BD15984	037231159849
17.0	280	61	1	1	BD15986	037231159863
19.0	295	69	1	1	BD15988	037231159887
Metric (Short)(Tagged)						
.71	31	6	10	1	BD15847	037231158477
.89	31	9	10	1	BD15848	037231158484
1.27	42	13	10	1	BD15849	037231158491
1.5	44	14	10	1	BD15850	037231158507
2.0	49	16	10	1	BD15852	037231158521
2.5	54	17	10	1	BD15854	037231158545
3.0	61	19	10	1	BD15856	037231158569
3.5	65	21	1	1	BD15858	037231158583
4.0	68	22	10	1	BD15860	037231158606
4.5	73	25	1	1	BD15862	037231158620
5.0	78	27	5	1	BD15864	037231158644
5.5	83	29	1	1	BD15866	037231158668
6.0	88	31	5	1	BD15868	037231158682
7.0	93	33	1	1	BD15870	037231158705
8.0	98	35	5	1	BD15872	037231158729
9.0	102	37	1	1	BD15874	037231158743
10.0	109	39	5	1	BD15876	037231158767
11.0	115	42	1	1	BD15878	037231158781
12.0	122	42	1	1	BD15880	037231158804
14.0	136	55	1	1	BD15884	037231158842
17.0	156	61	1	1	BD15886	037231158866
19.0	175	69	1	1	BD15888	037231158880
Metric Sets						
9Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD12199	037231121990
6Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5mm				1	BD12246	037231122461
9Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD12299	037231122997
10Pce Wallet Set (Short): 1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD00009	9314244000094

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Long)(Tagged)						
.028"	66	6	10	1	BD15900	037231159009
.035"	68	9	10	1	BD15901	037231159016
.050"	72	13	10	1	BD15902	037231159023
1/16"	76	14	10	1	BD15903	037231159030
5/64"	81	15	10	1	BD15904	037231159047
3/32"	86	16	10	1	BD15905	037231159054
7/64"	90	18	10	1	BD15906	037231159061
1/8"	95	19	10	1	BD15907	037231159078
9/64"	101	20	10	1	BD15908	037231159085
5/32"	107	21	10	1	BD15909	037231159092
3/16"	114	24	10	1	BD15910	037231159108
7/32"	124	26	5	1	BD15911	037231159115
1/4"	133	29	5	1	BD15912	037231159122
5/16"	152	32	5	1	BD15913	037231159139
3/8"	171	35	5	1	BD15914	037231159146
7/16"	191	38	1	1	BD15915	037231159153
1/2"	210	41	1	1	BD15916	037231159160
9/16"	229	44	1	1	BD15917	037231159177
5/8"	248	48	1	1	BD15918	037231159184
3/4"	286	54	1	1	BD15919	037231159191
Imperial (Long)(Packaged)						
7/8"	322	60	1	1	BD12120*	037231121204
1"	359	67	1	1	BD12121*	037231121211
Imperial (Short)(Tagged)						
.028"	31	6	10	1	BD15800	037231158002
.035"	31	9	10	1	BD15801	037231158019
.050"	42	13	10	1	BD15802	037231158026
1/16"	45	14	10	1	BD15803	037231158033
5/64"	48	15	10	1	BD15804	037231158040
3/32"	51	16	10	1	BD15805	037231158057
7/64"	54	18	10	1	BD15806	037231158064
1/8"	58	19	10	1	BD15807	037231158071
9/64"	61	20	10	1	BD15808	037231158088
5/32"	64	21	10	1	BD15809	037231158095
3/16"	70	24	10	1	BD15810	037231158101
7/32"	77	26	5	1	BD15811	037231158118
1/4"	83	29	5	1	BD15812	037231158125
5/16"	96	32	5	1	BD15813	037231158132
3/8"	108	35	5	1	BD15814	037231158149
7/16"	121	38	1	1	BD15815	037231158156
1/2"	133	41	1	1	BD15816	037231158163
9/16"	146	44	1	1	BD15817	037231158170
5/8"	159	48	1	1	BD15818	037231158187
3/4"	184	54	1	1	BD15819	037231158194
Imperial Sets						
13Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD12137	037231121372
7Pce Set (Short): 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"				1	BD12245	037231122454
13Pce Set (Short): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD12237	037231122379
10Pce Wallet Set (Short): 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD00008	9314244000087

*Not available once current stock is depleted


L-Wrenches TORX®



Fits all TORX® and Star screws
Broad contact surface provides deep lobe engagement
Straight, vertical sidewalls increase tool engagement
and virtually eliminates cam-out



31834



TORX® Tips
Fits all TORX® and
Star screws




Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

TORX® and Star tip
Fits all TORX® and
Star screws



Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
T9	74	16	5	1	BD31809	037231318093
T10	80	19	5	1	BD31810	037231318109
T15	84	20	5	1	BD31815	037231318154
T20	91	20	5	1	BD31820	037231318208
T25	98	22	5	1	BD31825	037231318253
T27	106	24	5	1	BD31827	037231318277
T30	116	26	5	1	BD31830	037231318307
T40	125	28	5	1	BD31840	037231318406

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Set						
8Pce Set: T9, T10, T15, T20, T25, T27, T30, T40				1	BD31834	037231318345

L-Wrenches TORX® Tamper Resistant



Fits all TORX® and Star tamper resistant screws
Broad contact surface provides deep lobe engagement
Straight, vertical sidewalls increase tool engagement
and virtually eliminates cam-out



32434



Tamper Resistant TORX® Tips
Precision machined tips
transfer more torque
to the screw and
reduces stripping




Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Tamper Resistant TORX®
and Tamper Resistant
Star tips**
Fits all TORX® and Star
tamper resistant screws



Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
TR6	55	16	2	1	BD32406	037231324063
TR7	61	16	2	1	BD32407	037231324070
TR8	67	16	2	1	BD32408	037231324087
TR9	74	16	2	1	BD32409	037231324094
TR10	80	19	2	1	BD32410	037231324100
TR15	84	20	2	1	BD32415	037231324155
TR20	91	20	2	1	BD32420	037231324209
TR25	98	22	2	1	BD32425	037231324254

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
TR27	106	24	2	1	BD32427	037231324278
TR30	116	26	2	1	BD32430	037231324308
TR40	125	28	2	1	BD32440	037231324407
Sets						
8Pce Set: TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25				1	BD32432	037231324322
8Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40				1	BD32434	037231324346

L-Wrenches TORX® & BallStar Tip




Fits all Star screws

Broad contact surface provides deep lobe engagement

Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out



11725



BallStar™ Tips
20° angle for quick
funneling tool
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

TORX® and Star tip
Fits all TORX® and
Star screws

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
BallStar Tip						
T25	98	22	5	1	BD11725	037231117252
T40	125	28	5	1	BD11740	037231117405

Multi Packs L-Wrenches & GorillaGrip® Fold Up



Assembled from our most popular sets


Multiple sets per package

Tip selections include Ball End, Hex End and ProHold® Tip End

Ideal for mechanics and general purpose



14187



14189



14130



20499



20199



22199

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
16Pce Set: L-Wrench Ball End 1.5-10mm + Hex End GorillaGrip® (Item # 10999) + Fold Up 2-8mm (Item # 12587)	1	BD14187	037231141875
22Pce Set: L-Wrench Ball End .050-3/8" (Item # 10937) + Hex End GorillaGrip® Fold Up 5/64-1/4" (Item # 12589)	1	BD14189	037231141899
34Pce Set: L-Wrench Ball End .050-3/8" (Item # 10937) + 1.5-10mm + Hex End GorillaGrip® (Item # 10999) + Fold Up 5/64-5/32", 1.5-5mm (Item # 12550)	1	BD14130	037231141301

Sizes	Min. Qty	Item #	Barcode
22Pce Set: ProHold® L-Wrench Ball End .050-3/8" (Item # 74937) + 1.5-10mm (Item # 74999)	1	BD20499	037231204990
22Pce Set: L-Wrench Ball End .050-3/8" (Item # 10937) + 1.5-10mm (Item # 10999)	1	BD20199	037231201999
22Pce Set: L-Wrench Hex End .050-3/8" (Item # 12137) + 1.5-10mm (Item # 12199)	1	BD22199	037231221997

GorillaGrip® Fold Up Sets



Patented handle design makes every job faster and easier
Durable GorillaGrip® handle is stronger than steel handles
Tool user can adjust tool tension



12638

12897

12591



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Moulded in 90° stop converts the tool into a time saving speed wrench

Blades open up to 270° from handle. Moulded on stops then blades securely in place



Environmentally safe finish for better corrosion resistance and grip

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
TORX® GorillaGrip® Fold Up			
8Pce Set: T6, T7, T8, T9, T10, T15, T20, T25	1	BD12632	037231126322
8Pce Set: T9, T10, T15, T20, T25, T27, T30, T40	1	BD12634	037231126346
Tamper Resistant TORX® GorillaGrip® Fold Up			
7Pce Set: TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	BD12636	037231126360
8Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	BD12638	037231126384
Ball End GorillaGrip® Fold Up			
5Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	1	BD12894	037231128944
5Pce Set: 5, 6, 7, 8, 10mm	1	BD12897	037231128975

Sizes	Min. Qty	Item #	Barcode
Hex End GorillaGrip® Fold Up			
7Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6mm	1	BD12592	037231125929
7Pce Set: 2, 2.5, 3, 4, 5, 6, 8mm	1	BD12587	037231125875
6Pce Set: 3, 4, 5, 6, 8, 10mm	1	BD12595	037231125950
9Pces Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	BD12591	037231125912
9Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	BD12589	037231125899
5Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	1	BD12585	037231125851
12Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32", 1.5, 2, 2.5, 3, 4, 5mm	1	BD12550	037231125509

GorillaGrip® Fold Up Utility & Multi Packs



Wide selection of tool tips
World's strongest handle
Speed-Wrench feature
Tools open from both the top and bottom
Moulded-in 90° stop
Patented spacers between tools



Environmentally safe finish for better corrosion resistance and grip



Up to 20% stronger, with more torque and higher wear resistance than standard steel



12522



12544



12533

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
Utility GorillaGrip® Fold Up			
5Pce Set PH #1; Slotted 3/16"; Hex 4, 5, 6mm	1	BD12540	037231125400

Sizes	Min. Qty	Item #	Barcode
Multi Pack GorillaGrip® Fold Up			
16Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587)	1	BD12522	037231125226
15Pce Set: 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	1	BD12544	037231125448
24Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	1	BD12533	037231125332

T-Handles Ball End



Solid steel handles
Welded handle/blade connection
Ergonomic handle design
Flywheel effect saves time
Smooth, non-porous handle coating
Handle coating extends along blade



13189

13190



Ball End Tips
25° working angle
for quick funnelling
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Tagged)						
2.0	150	76	2	1	BD53252 [†]	037231532529
2.5	172	76	2	1	BD53254 [†]	037231532543
3.0	196	76	2	1	BD53256 [†]	037231532567
4.0	220	76	2	1	BD53160	037231531607
5.0	246	102	2	1	BD53164	037231531645
6.0	266	102	2	1	BD53168	037231531683
8.0	285	127	2	1	BD53172	037231531720
10.0	307	127	2	1	BD53176	037231531768
Metric Sets						
5Pce set: 4, 5, 6, 8, 10mm				1	BD13148	037231131487
8Pce set: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD13187	037231131876
8Pce set with Stand: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD13189	037231131890

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Tagged)						
3/32"	154	76	2	1	BD53205 [†]	037231532055
7/64"	173	76	2	1	BD53206 [†]	037231532062
1/8"	192	76	2	1	BD53207 [†]	037231532079
9/64"	211	76	2	1	BD53208 [†]	037231532086
5/32"	231	76	2	1	BD53109	037231531096
3/16"	250	102	2	1	BD53110	037231531102
7/32"	262	102	2	1	BD53111	037231531119
1/4"	275	102	2	1	BD53112	037231531126
5/16"	289	127	2	1	BD53113	037231531133
3/8"	300	127	2	1	BD53114	037231531140
Imperial Sets						
6Pce Set: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD13146	037231131463
10Pce Set: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD13138	037231131388
10Pce Set with Stand: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD13190	037231131906

T-Handles Hex End




Solid steel handles
Welded handle/blade connection
Ergonomic handle design
Flywheel effect saves time
Smooth, non-porous handle coating
Handle coating extends along blade



13389

13390



Hex End Tips
Precision machined
for superior fit



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Tagged) 229mm						
2.0	229	76	2	1	BD15352	037231153526
2.5	229	76	2	1	BD15354	037231153540
3.0	229	76	2	1	BD15356	037231153564
4.0	229	76	2	1	BD15360	037231153601
5.0	229	102	2	1	BD15364	037231153649
6.0	229	102	2	1	BD15368	037231153687
8.0	229	127	2	1	BD15372	037231153724
10.0	229	127	2	1	BD15376	037231153762
Set						
6Pce Set: 2, 2.5, 3, 4, 5, 6mm				1	BD15348	037231153489
Metric (Tagged) 356mm						
3.0	356	76	1	1	BD16456	037231164560
4.0	356	76	1	1	BD16460	037231164607
5.0	356	102	1	1	BD16464	037231164645
6.0	356	102	1	1	BD16468	037231164683
8.0	356	127	1	1	BD16472	037231164720
Metric (Tagged) Graduated Length						
2.0	100	76	2	1	BD13352	037231133528
2.5	110	76	2	1	BD13354	037231133542
3.0	120	76	2	1	BD13356	037231133566
4.0	136	76	2	1	BD13360	037231133603
5.0	150	102	2	1	BD13364	037231133641
6.0	173	102	2	1	BD13368	037231133689
8.0	202	127	2	1	BD13372	037231133726
10.0	232	127	2	1	BD13376	037231133764

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Metric Sets						
8Pce Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD13387	037231133870
8Pce Set with Stand: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD13389	037231133894
Imperial (Tagged)						
3/32"	105	76	2	1	BD13305	037231133054
7/64"	112	76	2	1	BD13306	037231133061
1/8"	118	76	2	1	BD13307	037231133078
9/64"	124	76	2	1	BD13308	037231133085
5/32"	132	76	2	1	BD13309	037231133092
3/16"	141	102	2	1	BD13310	037231133108
7/32"	154	102	2	1	BD13311	037231133115
1/4"	165	102	2	1	BD13312	037231133122
5/16"	189	127	2	1	BD13313	037231133139
3/8"	211	127	2	1	BD13314	037231133146
Imperial Sets						
8Pce Set: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"				1	BD13332	037231133320
10Pce Set with Stand: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD13390	037231133900


T-Handles TORX®



Fits all TORX® and Star screws
Solid steel handles
Welded handle/blade connection
Ergonomic handle design
Flywheel effect saves time
Smooth, non-porous handle coating



33034



TORX® Tips
Fits all TORX® and
Star screws



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip



**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501


Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Single						
T40	199	102	2	1	BD33040	037231330408
Set						
8Pce Set: T9, T10, T15, T20, T25, T27, T30, T40				1	BD33034	037231330347

Size	Min. Qty	Item #	Barcode
Set			
8Pce Set: T9, T10, T15, T20, T25, T27, T30, T40	1	BD33034	037231330347

T-Handles ProHold® TORX®



Fits all TORX® and Star screws
Holds screw tight on the tool every time
Button is non-magnetic
Welded handle/blade connection



ProHold® Tips
Holds screw tight on
the tool every time



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip



**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
TR9	155	76	2	1	BD74009	037231740092
TR10	161	76	2	1	BD74010	037231740108
TR15	168	76	2	1	BD74015	037231740153
TR20	174	76	2	1	BD74020	037231740207

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
TR25	180	76	2	1	BD74025	037231740252
TR27	187	102	2	1	BD74027	037231740276
TR30	193	102	2	1	BD74030	037231740306

Screwdrivers Ball End



Ball End inserts into screw at a 25° angle
Ergonomic non-slip grip handle design
Two component handle with tough inner core and cushioned rubber exterior
Anti-roll design



10699



Ball End Tips
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Non-Slip Grip

Generates maximum torque even when wet or oily



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque



Discount Group: Z1501

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Long)(Packaged)						
2.0	157	102	2	1	BD10752	037231107529
2.5	171	110	2	1	BD10754	037231107543
3.0	247	158	2	1	BD10756	037231107567
4.0	288	179	2	1	BD10760	037231107604
5.0	308	198	2	1	BD10764	037231107642
6.0	341	218	2	1	BD10768	037231107680
8.0	360	237	2	1	BD10772	037231107727
10.0	382	259	2	1	BD10776	037231107765
Metric (Standard)(Tagged)						
1.5	120	66	2	1	BD40650	037231406509
2.0	127	72	2	1	BD40652	037231406523
2.5	130	69	2	1	BD40654	037231406547
3.0	171	83	2	1	BD40656	037231406561
4.0	205	98	2	1	BD40660	037231406608
5.0	219	109	2	1	BD40664	037231406646
6.0	260	137	2	1	BD40668	037231406684
8.0	298	175	2	1	BD40672	037231406721
10.0	307	184	2	1	BD40676	037231406769
Metric Sets						
6Pce Set: 1.5, 2, 2.5, 3, 4, 5mm				1	BD10686	037231106867
9Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD10699	037231106997
8Pce Set (Long): 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	BD10733	037231107338

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Standard)(Tagged)						
.050"	104	60	2	1	BD40602	037231406028
1/16"	118	64	2	1	BD40603	037231406035
5/64"	122	67	2	1	BD40604	037231406042
3/32"	132	71	2	1	BD40605	037231406059
7/64"	136	74	2	1	BD40606	037231406066
1/8"	168	80	2	1	BD40607	037231406073
9/64"	171	83	2	1	BD40608	037231406080
5/32"	201	91	2	1	BD40609	037231406097
3/16"	204	94	2	1	BD40610	037231406103
7/32"	230	107	2	1	BD40611	037231406110
1/4"	249	126	2	1	BD40612	037231406127
5/16"	265	142	2	1	BD40613	037231406134
3/8"	287	164	2	1	BD40614	037231406141
Imperial Set						
13Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	BD10637	037231106379

Screwdrivers TORX® Tamper Resistant



Fits all TORX® and Star tamper resistant screws
Burr free tool tips help tools seat fully in screw head
Precision machined tips transfer more torque to the screw and reduces stripping



Tamper Resistant TORX® Tips
Precision machined tips transfer more torque to the screw and reduces stripping



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Non-Slip Grip

Generates maximum torque even when wet or oily



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque



Discount Group: Z1501

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
TR6	163	108	1	1	BD33806	037231338060
TR7	169	114	1	1	BD33807	037231338077
TR8	182	121	1	1	BD33808	037231338084
TR9	186	124	1	1	BD33809	037231338091
TR10	189	128	1	1	BD33810	037231338107
TR15	219	131	1	1	BD33815	037231338152
TR20	248	138	1	1	BD33820	037231338206
TR25	253	144	1	1	BD33825	037231338251
TR27	270	147	1	1	BD33827	037231338275

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
TR30	276	153	1	1	BD33830	037231338305
TR40	282	159	1	1	BD33840	037231338404
Sets						
8Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40				1	BD33834	037231338343
8Pce Set: TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25				1	BD33832	037231338329

Wing & Flag Tool TORX®



Fits all TORX® and TORX PLUS® screws
Fits all Star and Star Plus screws
ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip
Broad contact surface provides deep lobe engagement
Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out



Sizes	Min. Qty	Item #	Barcode
7Pce TORX® Flag Tools Set: T6, T7, T8, T9, T10, T15, T20	1	BD34445	037231344450



Sizes	Min. Qty	Item #	Barcode
7Pce TORX® Wing Tools Set: T6, T7, T8, T9, T10, T15, T20	1	BD34745	037231347451

Discount Group: Z1501

Hex Pro TORX® & Hex Tip



Fits Inch and Metric Hex, TORX®, and Star screws
Heat treated high quality industrial tool steel
Long handles for extra reach
Matte chrome finish to prevent corrosion




00055

00040

00051

Size	Min. Qty	Item #	Barcode
Hex Tip			
Metric			
4.0	1	BD88760	855782887604
5.0	1	BD88764	855782887642
6.0	1	BD88768	855782887680
8.0	1	BD88772	855782887727
10.0	1	BD88776	855782887765
Imperial			
3/16"	1	BD88710	855782887109
7/32"	1	BD88711	855782887116
1/4"	1	BD88712	855782887123
5/16"	1	BD88713	855782887130
3/8"	1	BD88714	855782887147



Size	Min. Qty	Item #	Barcode
Torx Tip			
T25	1	BD88725	855782887253
T30	1	BD88730	855782887307
T40	1	BD88740	855782887406
T45	1	BD88745	855782887451
T50	1	BD88750	855782887505
Sets			
5Pce Set: T25, T30, T40, T45, T50	1	BD00055	855782000553
5Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	1	BD00040	855782000409
5Pce Set: 4, 5, 6, 8, 10mm	1	BD00051	855782000515

Discount Group: Z1501

Socket Bits Hex End




Bits fit any standard six point socket
Bits are suitable for use with impact sockets
Chamfered tool tips eliminate burrs and help tools seat in screw head

Sharp corners transfer more torque to the screw and reduce stripping
Precision machined for ease of use and superior fit



23229



Hex End Tips
Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Discount Group: Z1501

Sizes	Drive	Min. Qty	Item #	Barcode
Single				
Sockets & Bits 19mm Prohold Hex Bit 6" Inch 1/2" SKT-1/ea	1/2	1	BD43688*	037231436889
Metric Sets				
Bits only 6Pce Set: 4, 5, 6, 7, 8, 10mm	-	1	BD23246*	037231232467

Power Bits Ball End



Fits all 1/4" drive bit holders
Ball End inserts into a screw at a 25° angle
Ball End saves time by quickly funnelling tool into screw
Superior Ball End strength and working angle
Works in hard to reach places



Up to 20% stronger, with more torque and higher wear resistance than standard steel




10868

1/4" Hex Shank
Suitable for impact drivers



Environmentally safe finish for better corrosion resistance and grip




Ball End Tips
25° working angle for quick funnelling into screw

Discount Group: Z1501

Sizes	O/A Length	Min. Qty	Item #	Barcode	Sizes	O/A Length	Min. Qty	Item #	Barcode
2.0	76mm	1	BD10852	037231108526	8.0	76mm	1	BD10872	037231108724
2.5	76mm	1	BD10854	037231108540	10.0	76mm	1	BD10876	037231108762
3.0	76mm	1	BD10856	037231108564	12.0	76mm	1	BD10880	037231108809
4.0	76mm	1	BD10860	037231108601					
5.0	76mm	1	BD10864	037231108649					
6.0	76mm	1	BD10868	037231108687					

*Not available once current stock is depleted

www.suttontools.com



Proudly Distributed by:

suttontools
world class cutting tools

Sutton Tools Pty Ltd ABN 12 004 175 731

Australia (Head Office)

378 Settlement Road, Thomastown 3074, Victoria Australia
T +61 3 9280 0800 F +61 3 9464 0015

Customer Service

378 Settlement Road, Thomastown 3074, Victoria Australia
T 1800 335 350 F 1800 333 127 E cservice@sutton.com.au

Global Offices

Australasia Australia (Head Office) • New Zealand
Europe France • Italy • The Netherlands

www.suttontools.com



BDCAT001_1019

