# suttontools

# HAND TOOLS

Punches • Clamps • Pliers • Measuring Tools

# HAND TOOLS

## Hand Tools Index

- 293 Clamps Lockjaw
- 312 Measuring Tools
- **301 Pliers** Cutter Cable
- **299 Pliers** Cutting, Box Joint Diagonal
- **300 Pliers** Cutting, Concretor's Nippers
- 296 Pliers Cutting, Insulated
- 297 Pliers Cutting, Insulated XLT Combination
- **297 Pliers** Cutting, Insulated XLT Diagonal
- **298 Pliers** Cutting, Insulated XLT Long Nose
- **299 Pliers** Cutting, Lap Joint Diagonal
- **300 Pliers** End Cutting
- **304 Pliers** Fence Tool
- 296 Pliers Linemen's, Insulated
- **295 Pliers** Long Nose
- 295 Pliers Long Nose, Insulated
- 292 Pliers Self Adjusting, Lockjaw
- 311 Pliers Sets
- **302 Pliers** Tongue & Groove BigAzz<sup>®</sup>

- **302 Pliers** Tongue & Groove Griplock<sup>®</sup>
- **303 Pliers** Tongue & Groove Nutbuster™
- **301 Pliers** Tongue & Groove Straight Jaw
- **303 Pliers** Tongue & Groove V-Jaw
- 290 Punches
- **291 Punches** Carbon Steel
- **307 Snip** Aviation, Bulldog
- 305 Snip Aviation, Left
- 305 Snip Aviation, Offset Left
- 306 Snip Aviation, Offset Right
- 306 Snip Aviation, Right
- **307 Snip** Aviation, Straight
- **308 Snip** Aviation, Utility
- 308 Snip Tinner, Straight
- 310 Wire Stripper
- 309 Wrenches Adjustable, Black Phosphate
- 309 Wrenches Adjustable, Code Blue®

Section Index

# suttontools

All Sutton punches are made from high quality chrome vanadium steel, black oxide. The point is hardened and tempered to withstand continuous use. Ergonomic soft rubber grip provides comfort and safety.

**High Quality** Made from high quality chrome vanadium steel, black oxide

**Colour Coded** 

#### Soft Grip Provides comfort and safety **Discount Group: Z0602** Description 0/A Length Pieces Item # Barcode **Roofing Punches** M711 6.0 195 M7110600 9311963569956 **Flooring Punches** M712 185 M712 0500 9311963569963 5.0 Centre Punches M707 **Centre Punch** M707 0200 9311963569628 2.0 165 1 3.0 165 M707 0300 9311963569635 1 4.0 175 1 M707 0400 9311963569642 5.0 175 1 M707 0500 9311963569659 6.0 175 1 M707 0600 9311963569666 8.0 185 1 M707 0800 9311963569673 10.0 185 1 M707 1000 9311963569680 12.0 185 M707 1200 9311963569697 1 M707 0005 9311963569703 Set (2, 3, 4, 5, 6mm) 5 **Nail Punches** M709 M709 0150 1.5 160 9311963569802 1 Nail Punch 2.0 175 M709 0200 1 9311963569819

M709 0250

M709 0300

M709 0400

M709 0500

M709 0600

M709 0005

M706 0200

M706 0300

M706 0400

M706 0500

M706 0600

M706 0800

M706 1000

M706 1200

M706 0005

M710 1000

M710 1200

M710 1600

M710 1900

M710 2200

M710 2500

M710 0005

M713 7519

1

1

1

1

1

5

1

1

1

1

1

1

1

1

5

1

1

1

1

1

1

5

1

9311963569826

9311963569833

9311963569840

9311963569857

9311963569864

9311963569871

M706

9311963569536

9311963569543

9311963569550

9311963569567

9311963569574

9311963569581

9311963569598

9311963569604

9311963569611

M710

9311963569888

9311963569895

9311963569901

9311963569918

9311963569925

9311963569932

9311963569949

M713

9311963569987

Typically used as an aid to drilling operations. A drill will have a tendency to wander on the surface until it gains sufficient purchase to start cutting a hole.



A nail punch is a short steel rod. usually tapered; used to drive a nail or brad below, or flush with, a wood surface.



**Pin Punch** A pin punch is used as a driving tool, typically, as the name implies, to drive pins that are used to affix a fixture to a rotating shaft.



### Cold Chisel

A cold chisel is a tool made of tempered steel used for cutting 'cold' metals and are not used in conjunction with heat. Cold chisels are used to remove waste metal when a very smooth finish is not required.

2.5

3.0

4.0

5.0

60

2.0

3.0

4.0

5.0

6.0

8.0

10.0

12.0

10

12

16

19

22

25

**Cold Chisels** 

**Pin Punches** 

Set (2, 3, 4, 5, 6mm)

Set (2, 3, 4, 5, 6mm)

Set (10, 12, 16, 19, 25mm)

**Bolsters with Hand Guard** 

Brick 75 x 19mm

175

175

175

180

180

165

175

185

200

200

210

220

230

165

165

175

175

190

210

225

# suttontools

Made from high quality carbon steel.

The point is hardened and tempered to withstand continuous use. All punches have well cut knurling to provide positive finger grip.





Description	Pieces	ltem #	Barcode
Short Pin Punches			M700
Set: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 6.5mm	7	M700 PP7S	9311963153025
Long Pin Punches			M701
Set: 2.5, 3.0, 4.0, 5.0, 6.0, 6.5, 8.0, 10.0mm	8	M701 PP8L	9311963109312

Discount Group: Z0602

# LOCKJAW

Description

These pliers provide the versatility of a standard plier plus more. Traditional pliers require two hands to adjust the jaw open. Lockjaw™ self adjusting capability makes jobs faster and easier.



Barcode

- A. Curved Jaw: Lockjaw curved jaw pliers are innovative, heavy duty and time saving tools, built for professionals.
- B. Straight Jaw: Lockjaw straight jaw pliers are innovative, heavy duty and time saving tools, built for professionals.
- C. Needle Nose: Long heavy-duty gripping nose provides excellent control and reach for work in confined spaces.
- **D. C-Clamp:** Wide opening jaws provide greater versatility in clamping a variety of shapes.

Swivel C-Clamp: Wide opening jaws with swivel pads which allow parallel clamping while preventing denting or gouging on delicate surfaces.

E. Extended Reach Clamp: Similar to the C-Clamp, these pliers offer a deeper throat for extra reach.

Swivel Extended Reach Clamp: Swivel pads allow parallel clamping while preventing denting or gouging on delicate surfaces.

- F. Welding Clamp: For use in welding applications or for holding awkward shapes in place. Forked jaws provide greater visibility.
- G. Table C-Clamp: Ideal for clamping objects to tables or work surfaces while drilling, cutting, grinding or other workshop tasks. Can be fixed to a machine T-Slot table for moving into the ideal position or securely bolted.
- H. Sheet Metal Welding Clamp: Ideal for securing flat sheets of metal for welding or other work. Spreads the clamping pressure to avoid damage on soft materials. Clamping action can be customized to the material thickness by adjusting the bolt. ^Not self-adjusting automatic.

beschption	Jun opening			
Curved Jaw				
175mm Curved Jaw	28mm	L2100150	9311963628127	
250mm Curved Jaw	48mm	L2100250	9311963628134	
Straight Jaw				
250mm Straight Jaw	35mm	L2110250	9311963628141	
Needle Nose				
200mm Needle Nose	55mm	L2120175	9311963628158	
C-Clamps				
230mm C-Clamp	62mm	L2130175	9311963628165	
230mm C-Clamp with Swivel Pads	63mm	L2140175	9311963628189	
330mm C-Clamp	63mm	L2130275	9311963628172	
330mm C-Clamp with Swivel Pads	80mm	L2140275	9311963628196	
C-Clamps Extended Reach				
290mm Extended Reach C-Clamp	112mm	L2170250	9311963628226	
290mm Extended Reach C-Clamp with Swivel Pad	80mm	L2180250	9311963628233	
455mm Extended Reach C-Clamp	220mm	L2150480	9311963628202	
455mm Extended Reach C-Clamp with Swivel Pad	220mm	L2160480	9311963628219	
Welding Clamp				
225mm Welding Clamp	41mm	L2190225	9311963628240	
Table C-Clamp				
275mm Table C-Clamp	90mm	L2200275	9311963629377	
Sheet Metal Welding Clamps^				
205mm Sheet Metal Welding Clamp		L2210205	9311963636481	
250mm Sheet Metal Welding Clamp		L2210250	9311963636498	
Sets				
175mm Curved Jaw, 250mm Curved Jaw		L2920001	9311963628257	
250mm Curved Jaw, 200mm Needle Nose		L2920002	9311963628264	
175mm Curved Jaw, 250mm Curved Jaw, 200mm N	Veedle Nose	L2930001	9311963628271	

Jaw Opening

Item #

<u>ectio</u>

# LOCK

Lockjaw clamps provide intelligent designs with user friendly characteristics, making them the choice for industrial workers, professionals and DIY users



		Disc	ount Group: Z1002
Description	ltem :	# Barcod	le
One Hand Aluminium Clamp			
150mm	L11001	50 931196362	25720
300mm	L11003	00 931196362	25737
450mm	L11004	50 931196362	25744
600mm	L11006	00 931196362	25751
One Hand Dual Clamp			
150mm	L11201	50 931196362	25799
300mm	L11203	00 931196362	25805
450mm	L11204	50 931196362	25812
600mm	L11206	00 931196362	25829
Ratchet Clamp			
38mm Jaw Width - Small	L11100	38 931196362	25768
63mm Jaw Width - Medium	L11100	63 931196362	25775
100mm Jaw Width - Large	L11101	00 931196362	25782
Parallel Clamp (100mm Jaw Depth)			
300mm	L11303	00 931196362	25836
600mm	L11306	00 931196362	25843
900mm	L11309	00 931196362	25850

A. One Hand Aluminium Clamp:

- Heavy duty design for industrial and professional application
  Aluminium alloy clamp body to withstand great clamp pressure
  Maximum clamping force up to 350kgs

#### B. One Hand Dual Clamp:

- Changeable pads between V-grooved or flat TPR grip pads for clamping different objects without marking
  Nylon composite clamp body with strengthen carbon steel bar
  Maximum clamping force up to 200kgs

- C. Ratchet Clamp:Patented ratchet mechanism
  - with easy release trigger
    V-grooved swivelling pads
    Nylon composite body

- D. Parallel Clamp:

   Light weight smooth carbon steel bar and aluminium body
   Easy conversion into spreader without additional tools

  - Large TPR grip pads
    Maximum clamping force up to 400kgs



# FORGED SINCE 1886.

We can't be certain on what day back in 1886 George DeArment loaded up his wagon with hand-crafted tools that he had made and set out from Evansburg, PA, to sell his wares. Likely, it was in the spring, after the muddy roads had hardened enough to allow a heavily laden wagon to pass.

But this we do know: what George DeArment put in motion that unnamed first day has not only lasted but prospered for the decades that followed. Through five generations, we owe our success in no small measure to the guiding principles that George would later pen and put into practice:

- 1. Good management is never far from the factory floor.
- 2. People count more than machines.
- 3. Bigger does not always mean better.
- 4. Dedication to excellence is the surest way to surmount adversity and to prosper.

Channellock, Inc. is a company that has stood the test of time by making tools that do the same. Our tools, our values and our name are built to last.

Not a bad start. Not too bad at all.













\_

All measurements in millimetres (mm) 296 Prices exclude GST



## Pliers Cutting, Insulated - XLT Diagonal









<u>Section</u> Index



# Pliers Cutting, Concretor's Nippers



# Pliers Cutter Cable CHAN NEI LOCK The CHANNELLOCK® Cable Cutter is a reliable, hardworking cutter with superior cutting edge life. Cuts up to 4/0 (11.7 mm) aluminium and 2/0 (9.3 mm) copper. Not intended for steel or ACSR use. Aluminium/Copper Cutting Ability Cuts up to 4/0 aluminium and 2/0 copper Alloy Steel Blade Blade made with custom heat-treated alloy steel B,E CHANNELLOCK BLUE\* Grips For comfort

**Discount Group: Z1001** 

A O/A Length	<b>B</b> Jaw Length	<b>C</b> Joint Thickness	D Joint Width	E Cutting Edge	H Handle Span	ltem #	Barcode	
241	35.5	13	41	35.5	48	911	025582403476	

# Pliers Tongue & Groove Straight Jaw



The CHANNELLOCK® Straight Jaw Tongue & Groove Pliers is the tool every home and garage needs. Patented reinforcing edge to minimize stress breakage and right angle, laser heat-treated teeth to provide a better, longer lasting grip.



A O/A Length	<b>B</b> Jaw Length	<b>C</b> Joint Thickness	<b>H</b> Handle Span	Number of Adjustments	Jaw Capacity	ltem #	Barcode
241	28	12	40	5	38	420	025582300676
114	8	3	32	3	13	424	025582301079
165	21	12	43	5	22	426	025582301277
254	35	11	54	7	51	430	025582301475
305	38	13	46	7	57	440	025582301673
419	65	15	49	8	108	460	025582301970



Check out the demo



# Pliers Tongue & Groove Griplock®







Get even more leverage from the ergonomically designed offset head of the GRIPLOCK\*. A special jaw design allows it to grip down on many shapes for added versatility.





**Discount Group: Z1001** 

A O/A Length	B Jaw Length	<b>C</b> Joint Thickness	<b>H</b> Handle Span	Number of Adjustments	Jaw Capacity	ltem #	Barcode
165	25	6	51	5	27	GL6	025582508911
241	34	9	55	5	32	GL10	025582960177
318	45	12	64	6	57	GL12	025582960672



# Pliers Tongue & Groove V-Jaw



A unique jaw design creates more points of contact on round stock and tubing. This creates a stronger bite and more control - all with the legendary strength of a CHANNELLOCK® Tongue and Groove Pliers.



#### **Discount Group: Z1001**

A O/A Length	<b>B</b> Jaw Length	<b>C</b> Joint Thickness	H Handle Span	Number of Adjustments	Jaw Capacity	ltem #	Barcode
241	28	12	40	5	38	422	025582300874
305	38	13	43	7	57	442	025582301871



Check out the demo





# Snip Aviation, Offset Left



CHANNELLOCK® offset snips is the ultimate tool in tight spaces. Its serrated bottom blade and ergonomic design makes it easy to cut curves or straight in small spaces.

**Precision Cutting** Cuts tight left curves and straight with ease in left hand Drop-Forged Molybdenum Alloy Steel Cuts 18ga cold rolled steel and 22ga stainless, and 8:1 compound action for maximum cutting power with minimum effort

Precision machined to last longer, and with 40 serrations per inch for nonscarring grip on material

**Custom Heat-Treated Blades** 

18 ga. CR STEEL 22 ga. STAINLESS Comfant Gi

**Comfort Grips** Designed for durability with high tensile steel handles

Discount Group: Z1001

A O/A Length	<b>C</b> Joint Thickness	D Joint Width	E Cutting Edge	<b>H</b> Handle Span	Item #	Barcode
244	29	58	32	52	610FL	025582835413

**Double Overwind Spring** For long-lasting durability



# Snip Aviation, Offset Right



CHANNELLOCK® offset snips is the ultimate tool in tight spaces. Its serrated bottom blade and ergonomic design makes it easy



**Discount Group: Z1001** 

A O/A Length	<b>C</b> Joint Thickness	D Joint Width	E Cutting Edge	<b>H</b> Handle Span	ltem #	Barcode
244	29	58	32	52	610FR	025582835512



## Snip Aviation, Bulldog



Overpower the most heavy-duty materials with CHANNELLOCK® specialty snips. Its universal grip and high carbon steel blades give strength and durability against tough cuts.

> Custom Heat-Treated Blades Precision machined to last longer, and with 40 serrations per inch for nonscarring grip on material

> > 16 ga.

CR STEEL

18 ga. STAINLESS **Precision Cutting** Cuts straight on heavy duty material, thick or multiple layers, seams, and notch cuts Drop-Forged Molybdenum Alloy Steel Cuts 16ga cold rolled steel and 18ga stainless, and 8:1 compound action for maximum cutting power with minimum effort

> **Comfort Grips** Designed for durability with high tensile steel handles

> > Discount Group: Z1001

A O/A Length	<b>C</b> Joint Thickness	D Joint Width	E Cutting Edge	<b>H</b> Handle Span	Item #	Barcode
238	21	58	22	52	610BS	025582835918

**Double Overwind Spring** 

For long-lasting durability



## Snip Tinner, Straight



American-made tinner snips are designed to make straight, wide, and tight curves in any direction. CHANNELLOCK BLUE® Grips add comfort even



**Discount Group: Z1001** 

<b>211</b> 18 23 44 97 608TS 025582836311	A O/A Length	<b>C</b> Joint Thickness	D Joint Width	E Cutting Edge	<b>H</b> Handle Span	ltem #	Barcode
	211	18	23	44	97	608TS	025582836311



## Wrenches Adjustable, Code Blue®

15

19

72

87

• (0)



35

38

254

305

CHANNELLOCK® Adjustable Wrenches have and endless amount of uses. Strong, reliable and versatile-it's exactly what the world has come to expect from CHANNELLOCK®.



Adjustable 4 thread knurl and non-protruding jaws provide greater capacity; minimal head width improves performance in confined spaces

810NW

812NW

025582185815

025582185914



S10 WCB

CHANNEL LOCK/® Code Blue<sup>®</sup> Grips

Designed for durability and comfort

<u>Section</u> Index

#### Discount Group: Z1001

0

A O/A Length	B Jaw Capacity	<b>C</b> Joint Thickness	D Joint Width	lter	em #	Barcode
159	24	10	50	806	6WCB	025582598219
203	30	13	64	808	8WCB	025582589613
254	35	15	72	810	OWCB	025582561916
305	38	19	87	812	2WCB	025582599919





D t Width E Cutting Edge B Jaw Ler C Joint Thick H Handle S A O/A Length Item # Barcode loi 43 908 025582711311 210 9 38 12 55

# Pliers Sets



We've put together our most popular tools to create the perfect gift for people that know what real work is all about.





GLS-1

PG-2



GS3



GS4

GS10

<u>430</u> 10'

WS2CB

Ŀ

			Discount Group: Z1001
Sets	Pieces	ltem #	Barcode
<b>2 Pce Griplock<sup>*</sup> Tongue &amp; Groove Pliers Set</b> Contents: GL10 – 241mm & GL12 –318mm	2	GLS-1	025582990679
<b>2 Pce Cutting Insulated &amp; Linemen's Insulated Set</b> Contents: 3238 - 212mm & 3248 - 216mm	2	PG-2	025582824370
<b>3 Pce Tongue &amp; Groove Pliers Set</b> Contents: 426 - 165mm & 420 - 241mm & 440 - 305mm	3	GS3	025582520180
<b>3 Pce Diagonal Cutter, Long Nose &amp; Tongue &amp; Groove Pliers Set</b> Contents: 337 - 178mm & 3017 - 203mm & 430 - 254mm	3	GS4	025582603517
2 Pce Cutting & Tongue & Groove Pliers Set Contents: 369 - 241mm & 430 - 254mm	2	GS10	025582531513
<b>2 Pce Adjustable Wrench Set</b> Contents: 806WCB - 159mm & 810WCB - 254mm	2	WS2CB	025582586810

## **Measuring Tools**





Made from stainless steel

Carbon steel handle

Plain type and 1mm

graduations (option)

Precision 90°

WORKSHO

#### **Engineer Ruler**

- Made from stainless steel
- 1mm and 0.5mm graduations
- Conversion charts on the back of the ruler



#### **Engineer Squares Carpenters Squares**

- Made from hardened steel,
- resists corrosion and warping • Permanent black finish with accurate

au a a a a a a a a a a a a 05 a

and clear white graduation.

**Engineers Scribers** 

stainless steel

Knurled aluminium

 Tungsten carbide point (267M06041) Convenient pocket clip (267M06041)

Made from

handle



#### **Alloy Squares**

- Made from aluminium alloy
- Graduated scale both sides
- Metric and Imperial measurements



#### Calipers

- Made from high carbon steel
- Quick adjustable screw bar
- Easy hold handle on top



#### **Magnetic Pick-Up Set**

Two colour driver handle with quick chuck and 4mm driver, 90mm full hook, 90mm angle hook, 90mm straight hook, 90mm 90° hook and magnetic telescopic pick-up tool

### **Combination Square 3 in 1**

- Made from stainless steel
- Mitre square, spirit level, plumb level, 45° level, height gauge, steel rule, straight edge and scriber

#### **Auto Centre Punch**

- Made from brass
- Spring loaded,
- no hammer required



#### Template Tool - Metric / Inch

- Great layout tool for creating complex shapes and angles
- Easy to make repeat cuts on arches and joists
- Can be set to mark bricks, tiles, timber, laminates and more

## **Measuring Tools**

SU	tto	<b>D</b>	to	ol	S

For measuring gauge and length of wood, self tapping metal thread screws, bolts, wall plugs and drill sizes.

Multi Function Gauge - Metric & Imperial



M8100110 9311963171258

M810 0650 9311963609157

Item #

M810 0110



M810 0650



Description

Ezi Sizer Gauge



Precision engineering tools.











**Discount Group: Z1007** 

Barcode **M810** 

> FN 267QM0550



267CS3030



267900180



267900175



Section	Index

267SR1006

Description

**Engineer Rulers** Precision Engineer Ruler

Precision Engineer Ruler

Precision Engineer Ruler

Precision Engineer Ruler

**Precision Engineer Square** 

Precision Engineer Square

**Carpenters Squares** 

Alloy Squares

Calipers Inside Caliper

Inside Caliper

**Outside** Caliper

**Outside** Caliper

**Spring Dividers** Spring Divider

Spring Divider

Spring Divider

Miscellaneous Centre Punch Auto Brass

Template Tool

**Engineers Scribers** 

**Engineer Squares Precision Engineer Square** 

267MTQ206

267MTQ306

Size

**Discount Group: Z1005** Item # Barcode

150mm 267MS1015 9311744438631 300mm 267MS1030 9311744438648 600mm 267MS1060 9311744438655 1000mm 267MS1100 9311744438662 100mm 267SR1004 9311744438556 150mm 267SR1006 9311744438563 200mm 267SR1008 9311744438570 100mm 2675G1004 9311744438587 267SG1006 9311744438594 150mm 200mm 2675G1008 9311744438600 300mm 267901250 9311744446087 600mm 267901600 9311744446094 1800mm 267900180 9311744446179 7" 267900175 9311744446070 270mm 267M06020 9311744438525 150mm 267M06041 9311744438549 150mm 267MTQ306 9311744438457 200mm 267MT0308 9311744438464 150mm 267MT0206 9311744438471

267QM0550 9311744438440

267CS3030 9311744438624

267902250 9311744446100

Precision Engineer Square Graduated Precision Engineer Square Graduated Precision Engineer Square Graduated 300mm Body × 200mm Tongue, Metric & Inch 600mm Body × 400mm Tongue, Metric & Inch Metric Aluminium Alloy Square Imperial Aluminium Alloy Square Engineers Scriber Double End 90° Bend Point Engineers Scriber Tungsten Tip 200mm 267MTQ208 9311744438488 100mm 267MTQ104 9311744438495 150mm 267MTQ106 9311744438501 200mm 267MTQ108 9311744438518 125mm 267AP1125 9311744438617

300mm

250mm

www.suttontools.com

Combination Square 3 in 1

Quick Change Magnetic Pick-Up Set